

شماره : ۹۴۳/۲۸۱۷۳۱۳

تاریخ : ۱۴۰۴/۱۱/۲۱

زمان : ۱۴:۱۲:۴۰

پیوست : دارد



بسمه تعالی

جناب آقای فتحی

مشاور محترم وزیر و مدیرکل دفتر امور بین الملل و سازمان های تخصصی وزارت جهاد کشاورزی

موضوع: نامه آژانس حفظ نباتات ازبکستان

با سلام؛

احتراماً، به پیوست یادداشت وزارت امور خارجه ازبکستان، منضم به نامه آژانس حفظ نباتات آن کشور به عنوان سازمان حفظ نباتات کشور، جهت اقدام لازم ایفاد می گردد.

ثبت دبیرخانه

تاریخ : ۱۴۰۴/۱۱/۲۵

شماره ثبت: ۱۰۴۷۶۳۴

منوچهر مرادی

دستیار وزیر و مدیرکل اوراسیا

رونوشت :

- سرکار خانم جلیلی مقدم رئیس محترم سازمان حفظ نباتات وزارت جهاد کشاورزی



وزارت امور خارجه جمهوری ازبکستان

ترجمه غیر رسمی

شماره : ۱۸-۱۰۷/۲۱۱۹

یادداشت

وزارت امور خارجه جمهوری ازبکستان با اظهار تعارفات خود به سفارت جمهوری اسلامی ایران در جمهوری ازبکستان افتحار دارد نامه آژانس قرنطینه و حفظ نباتات جمهوری ازبکستان به سازمان حفظ نباتات وزارت کشاورزی جمهوری اسلامی ایران ارسال نماید. وزارت از سفارت خواهشمند است در ارسال این نامه به مقصد عالی مساعدت نماید. وزارت امور خارجه جمهوری ازبکستان موقع را مغتنم شمرده احترامات فایقه خود را به سفارت جمهوری اسلامی ایران در شهر تاشکند تجدید می نماید. پیوست: __ صفحه است.

تاشکند، ۲ فوریه سال ۲۰۲۶ برابر با ۱۳ بهمن سال ۱۴۰۴

سفارت جمهوری اسلامی ایران،
شهر تاشکند



**O'ZBEKISTON RESPUBLIKASI
TASHQI ISHLAR VAZIRLIGI**

№ 18-107/2119

Ўзбекистон Республикаси Ташқи ишлар вазирлиги Эрон Ислом Республикасининг Тошкентдаги Элчихонасига ўз эхтиромларини изҳор этиб, Ўзбекистон Республикаси Қишлоқ хўжалиги вазирлиги ҳузуридаги Ўсимликлар карантини ва ҳимояси агентлиги томонидан Эрон Ислом Республикаси қишлоқ хўжалиги вазирлиги ҳузуридаги Ўсимликларни ҳимоя қилиш ташкилотига йўлланган мактубни юбориш шарафига муяссардир.

Вазирлик мазкур мактубни ўз манзилига етказишда мухтарам Элчихонадан кўмак сўрайди.

Фурсатдан фойдаланиб, Вазирлик Эрон Ислом Республикасининг Тошкентдаги Элчихонасига яна бир бор ўзининг юксак эхтиромларини изҳор этади.

Илова: __ в.

Тошкент, 2026 йил 2 февраль

Эрон Ислом Республикасининг
Ўзбекистон Республикасидаги
Элчихонаси,
Тошкент шаҳри





**O‘ZBEKISTON RESPUBLIKASI QISHLOQ XO‘JALIGI VAZIRLIGI
HUZURIDAGI O‘SIMLIKLAR KARANTINI VA HIMOIYASI AGENTLIGI**

THE AGENCY OF PLANT PROTECTION AND QUARANTINE UNDER
THE MINISTRY OF AGRICULTURE OF THE REPUBLIC OF UZBEKISTAN

100015, Toshkent shahri, "Bobur" 1-berk ko'chasi, 17-uy, tel.: (+998 71) 202-10-00, www.karantin.uz, elektron pochta manzil: info@karantin.uz, E-xat manzil: karantin@exat.uz



2026-yil 24-yanvar

3-17/262-son

**Ministry of Jihad-Agriculture
Islamic Republic of Iran
Plant Protection Organization**

The Agency of Plant Protection and Quarantine under the Ministry of Agriculture of the Republic of Uzbekistan (APPQ) presents its compliments to the Plant Protection Organization of the Ministry of Jihad-Agriculture of the Islamic Republic of Iran.

For the purpose of ensuring the implementation of subparagraph 5 of paragraph 6 of the Minutes of the 16th Meeting of the Intergovernmental Joint Commission on Trade, Economic, and Scientific-Technical Cooperation between the Islamic Republic of Iran and the Republic of Uzbekistan, the APPQ hereby forwards the attached list of regulated products permitted for import from the Islamic Republic of Iran into the Republic of Uzbekistan:

1. Regulated products with low phytosanitary risk imported from the Islamic Republic of Iran into the Republic of Uzbekistan (as listed in **Annex 1**) must be accompanied by a phytosanitary certificate issued by the National Plant Protection Organization of Iran.

2. The list of regulated products with high phytosanitary risk imported from the Islamic Republic of Iran into the Republic of Uzbekistan is provided in **Annex 2**. The phytosanitary requirements applicable to these products are set out therein.

At the same time, consignments of quarantine-regulated plant products intended for import into the Republic of Uzbekistan are required to obtain a quarantine import permit from the APPQ.

The Agency of Plant Protection and Quarantine under the Ministry of Agriculture of the Republic of Uzbekistan avails itself of this opportunity to renew to the Plant Protection Organization of the Ministry of Jihad-Agriculture of the Islamic Republic of Iran the assurances of its highest consideration.

Attachment: 12 pages

Sincerely,

**Ulugbek Yunusov
Deputy Director-General**



CC: Embassy of the Islamic Republic of Iran in Tashkent, Uzbekistan
(Address: *Parkent Street 20, Yashnabad district, 100007*)

List of regulated products with low phytosanitary risk permitted for import from the Islamic Republic of Iran into the Republic of Uzbekistan

No.	Products
1	Dried dates
2	Dried apricots
3	Dried pistachios (in-shell)
4	Dried grapes (raisins)
5	Dried figs
6	Dried tea leaves
7	Spices

For the import of consignments of the above-mentioned regulated products from the Islamic Republic of Iran into the Republic of Uzbekistan, a **phytosanitary certificate** issued by the NPPO of Iran, as well as a **quarantine import permit** issued by the Agency of Plant Protection and Quarantine, shall be required.

List of regulated products with high phytosanitary risk permitted for import from the Islamic Republic of Iran into the Republic of Uzbekistan

Types of Products	
Planting materials	
1	Ornamental tree seedlings
2	Apple seedlings
3	Plum seedlings
4	Apricot seedlings
5	Wild cherry rootstocks
6	Alfalfa seed
7	Maize (corn) seed
Fresh fruits and vegetables, legumes	
8	Apple
9	Pear
10	Mandarin
11	Orange
12	Kiwi
13	Lemon
14	Grapefruit
15	Lime
16	Avacado
17	Mango
18	Blueberry
19	Dates
20	Coconut
21	Pineapple
22	Pomelo
23	Chickpea
24	Sweet pepper
25	Hot pepper
26	Eggplant
27	Garlic
28	Cabbage
29	Zucchini
30	Iceberg lettuce
31	Cauliflower
32	Broccoli
33	Carrot
34	Cilantro
35	Dill
36	Parcley
37	Lettuce leaves
38	Celery
39	Tabe potatoes
40	Ginger

Phytosanitary requirements for the import of fresh fruits and vegetables from the Islamic Republic of Iran into the Republic of Uzbekistan

1. Fresh fruits and vegetables must be free from pests of quarantine significance for the Republic of Uzbekistan.
2. Consignments of fresh fruits and vegetables imported into the territory of the Republic of Uzbekistan must be cleaned of leaves, twigs, soil, and other contaminants.
3. Each package of regulated products imported into the territory of the Republic of Uzbekistan must be labeled in accordance with the requirements of the exporting country and/or re-exporting country, indicating the product name (including the botanical name), origin of the product, and the exporting country.
4. Imported tuber and root vegetables must be cleaned of soil and other residues. The import of potatoes and vegetable products into the territory of the Republic of Uzbekistan shall be permitted only if soil residues do not exceed 0.1 percent of the total weight of the product.

1.	Apples (<i>Malus</i> spp.) and pears (<i>Pyrus</i> spp.) — fruits (0808)	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Acrobasis pyrivorella</i>; 2. <i>Agrilus mali</i>; 3. <i>Aleurocanthus spiniferus</i>; 4. <i>Aleurocanthus woglumi</i>; 5. <i>Bactrocera dorsalis</i>; 6. <i>Carposina sasakii</i>; 7. <i>Ceratitis rosa</i>; 8. <i>Conotrachelus nenuphar</i>; 9. <i>Cossus cossus</i>; 10. <i>Dysmicoccus brevipes</i> 11. <i>Grapholita molesta</i>; 12. <i>Helicoverpa armigera</i>; 13. <i>Helicoverpa zea</i>; 14. <i>Nipaecoccus nipae</i>; 15. <i>Planococcus minor</i> 16. <i>Popillia japonica</i>; 17. <i>Pseudaulacaspis pentagona</i>; 18. <i>Pseudococcus comstocki</i>; 19. <i>Quadraspidiotus perniciosus</i>; 20. <i>Rhagoletis pomonella</i>; 21. <i>Scirtothrips dorsalis</i>; 22. <i>Spodoptera frugiperda</i>; 23. <i>Spodoptera littoralis</i>; 24. <i>Zeugodacus cucurbitae</i>. 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Bactrocera dorsalis</i>; 2. <i>Carposina sasakii</i>; 3. <i>Ceratitis rosa</i>.
2.	Citrus fruits (<i>Citrus</i> L.) — fruits (0805)	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Aceria sheldoni</i>; 2. <i>Aleurocanthus spiniferus</i>; 3. <i>Aleurothrixus floccosus</i>; 4. <i>Aleurocanthus woglumi</i>; 5. <i>Aonidiella aurantii</i>; 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Bactrocera dorsalis</i>; 2. <i>Bactrocera minax</i>; 3. <i>Ceratitis capitata</i>;

		<ol style="list-style-type: none"> 6. <i>Aonidiella citrina</i>; 7. <i>Bactrocera dorsalis</i>; 8. <i>Bactrocera minax</i>; 9. <i>Ceratitis capitata</i>; 10. <i>Ceratitis rosa</i>; 11. <i>Ceroplastes ceriferus</i>; 12. <i>Ceroplastes japonicus</i>; 13. <i>Ceroplastes rusci</i>; 14. <i>Diaphorina citri</i>; 15. <i>Dysmicoccus brevipes</i>; 16. <i>Halyomorpha halys</i>; 17. <i>Icerya purchasi</i>; 18. <i>Lopholeucaspis japonica</i>; 19. <i>Naupactus xanthographus</i>; 20. <i>Phyllocnistis citrella</i>; 21. <i>Planococcus minor</i> 22. <i>Pseudaulacaspis pentagona</i>; 23. <i>Pseudococcus calceolariae</i>; 24. <i>Spodoptera frugiperda</i>; 25. <i>Spodoptera littoralis</i>; 26. <i>Unaspis citri</i>; 27. <i>Unaspis yanonensis</i>; 28. <i>Xanthomonas campestris pv. citri</i>. 	<ol style="list-style-type: none"> 4. <i>Ceratitis rosa</i>; 5. <i>Xanthomonas campestris pv. citri</i>
3.	Kiwi fruit (<i>Actinidia deliciosa</i>) — (from 0810 50)	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Ceratitis capitata</i>; 2. <i>Ceroplastes rusci</i>; 3. <i>Drosophila suzukii</i>; 4. <i>Halyomorpha halys</i>; 5. <i>Naupactus xanthographus</i>; 6. <i>Pseudococcus comstocki</i>; 7. <i>Pseudaulacaspis pentagona</i>. 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Ceratitis capitata</i>; 2. <i>Ceroplastes rusci</i>; 3. <i>Drosophila suzukii</i>; 4. <i>Pseudococcus comstocki</i>.
4.	Avocado (<i>Persea americana</i>) and mango (<i>Mangifera</i>) — fruits	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Aleurocanthus spiniferus</i>; 2. <i>Aleurothrixus floccosus</i>; 3. <i>Aleurocanthus woglumi</i>; 4. <i>Aonidiella aurantii</i>; 5. <i>Aonidiella citrina</i>; 6. <i>Bactrocera dorsalis</i>; 7. <i>Ceratitis capitata</i>; 8. <i>Ceratitis rosa</i>; 9. <i>Ceroplastes ceriferus</i>; 10. <i>Ceroplastes japonicus</i>; 11. <i>Ceroplastes rusci</i>; 12. <i>Dysmicoccus brevipes</i> 13. <i>Frankliniella schultzei</i>; 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Bactrocera dorsalis</i>; 2. <i>Ceratitis capitata</i>; 3. <i>Scirtothrips dorsalis</i>; 4. <i>Unaspis citri</i>.

		14. <i>Icerya purchasi</i> ; 15. <i>Lindingaspis rossi</i> ; 16. <i>Lopholeucaspis japonica</i> ; 17. <i>Naupactus xanthographus</i> ; 18. <i>Nipaecoccus nipae</i> ; 19. <i>Pinnaspis strachani</i> ; 20. <i>Planococcus minor</i> 21. <i>Pseudoparlatoria parlatoroides</i> ; 22. <i>Scirtothrips dorsalis</i> ; 23. <i>Spodoptera eridania</i> ; 24. <i>Spodoptera frugiperda</i> ; 25. <i>Spodoptera littoralis</i> ; 26. <i>Unaspis citri</i> ; 27. <i>Zeugodacus cucurbitae</i> .	
5.	Persimmon (<i>Diospyros</i> sp.) and blueberry (<i>Vaccinium uliginosum</i>) — fruits (fresh)	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Drosophila suzukii</i>; 2. <i>Ceratitis capitata</i>; 3. <i>Conotrachelus nenuphar</i>; 4. <i>Halyomorpha halys</i>. 5. <i>Rhagoletis mendax</i>. 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Drosophila suzukii</i>; 2. <i>Ceratitis capitata</i>; 3. <i>Rhagoletis mendax</i>.
6.	Coconut (<i>Cocos nucifera</i>) and pineapple (<i>Ananas comosus</i> L.) — fruits (fresh)	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Aleurocanthus woglumi</i>; 2. <i>Bactrocera dorsalis</i>; 3. <i>Ceratitis capitata</i>; 4. <i>Ceratitis rosa</i>; 5. <i>Dysmicoccus brevipes</i> 6. <i>Planococcus minor</i> 7. <i>Scirtothrips dorsalis</i>; 8. <i>Spodoptera frugiperda</i>; 9. <i>Zeugodacus cucurbitae</i>. 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Bactrocera dorsalis</i>; 2. <i>Ceratitis capitata</i>.
7.	Chickpea (<i>Pisum</i>) — pods	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Blissus leucopterus</i>; 2. <i>Callosobruchus</i> spp.; 3. <i>Caryedon serratus</i>; 4. <i>Caulophilus latinasus</i>; 5. <i>Cercospora kikuchii</i>; 6. <i>Trogoderma</i> spp.; 7. <i>Zabrotes subfasciatus</i>; 8. <i>Zygodramma exclamationis</i>. 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Cercospora kikuchii</i>.
8.	Sweet pepper and hot pepper (<i>Capsicum annuum</i>)	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Ceratitis capitata</i>; 2. <i>Frankliniella occidentalis</i>; 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:

		<ol style="list-style-type: none"> 3. <i>Helicoverpa armigera</i>; 4. <i>Helicoverpa zea</i>; 5. <i>Pseudaulacaspis pentagona</i>; 6. <i>Scirtothrips dorsalis</i>; 7. <i>Spodoptera exigua</i>; 8. <i>Spodoptera frugiperda</i>; 9. <i>Spodoptera littoralis</i>; 10. <i>Thrips palmi</i>; 11. <i>Unaspis citri</i>; 12. Impatiens necrotic spot virus (INSV); 13. Pepino mosaic virus (PepMV); 14. Tomato brown rugose fruit virus ToBRFV 	<ol style="list-style-type: none"> 1. <i>Spodoptera frugiperda</i>; 2. <i>Thrips palmi</i>.
9.	Eggplant (<i>Solanum melongena</i> L.) and zucchini (<i>Cucurbita pepo</i>) — product (0709 30 000 0)	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Aleurothrixus floccosus</i>; 2. <i>Bactrocera dorsalis</i>; 3. <i>Ceratitidis capitata</i>; 4. <i>Epitrix tuberis</i>; 5. <i>Frankliniella schultzei</i>; 6. <i>Halyomorpha halys</i>; 7. <i>Helicoverpa armigera</i>, 8. <i>Helicoverpa zea</i>; 9. <i>Keiferia lycopersicella</i>; 10. <i>Leptinotarsa decemlineata</i>, 11. <i>Liriomyza huidobrensis</i>; 12. <i>Liriomyza trifolii</i>; 13. <i>Phthorimaea operculella</i>, 14. <i>Pinnaspis strachani</i>; 15. <i>Scirtothrips dorsalis</i>, 16. <i>Spodoptera eridania</i>; 17. <i>Spodoptera exigua</i>. 18. <i>Spodoptera frugiperda</i>; 19. <i>Spodoptera littoralis</i>; 20. <i>Spodoptera litura</i>. 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Frankliniella schultzei</i>; 2. <i>Leptinotarsa decemlineata</i>, 3. <i>Liriomyza huidobrensis</i>; 4. <i>Liriomyza trifolii</i>; 5. <i>Spodoptera eridania</i>; 6. <i>Spodoptera exigua</i>.
10.	Garlic (<i>Allium ascalonicum</i>) — (0703)	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Delia antiqua</i>; 2. <i>Frankliniella schultzei</i>; 3. <i>Frankliniella williamsi</i>; 4. <i>Helicoverpa zea</i>; 5. <i>Liriomyza huidobrensis</i>; 6. <i>Liriomyza nietzkei</i>; 7. <i>Liriomyza trifolii</i>; 8. <i>Naupactus leucoloma</i>; 9. <i>Scirtothrips dorsalis</i>; 10. <i>Spodoptera eridania</i>; 11. <i>Spodoptera exigua</i>; 12. <i>Spodoptera frugiperda</i>; 13. <i>Spodoptera littoralis</i>; 14. <i>Spodoptera litura</i>; 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Meloidogyne chitwoodi</i>; 2. <i>Meloidogyne fallax</i>; 3. <i>Meloidogyne enterolobii</i>; 4. <i>Nacobbus aberrans</i>; 5. <i>Phymatotrichopsis omnivore</i>.

		15. <i>Thrips palmi</i> ; 16. <i>Meloidogyne chitwoodi</i> ; 17. <i>Meloidogyne fallax</i> ; 18. <i>Meloidogyne enterolobii</i> .	
11.	Melon (<i>Cucumis melo</i>), watermelon (<i>Citrullus lanatus</i>), and pumpkin (<i>Cucurbita sp.</i>) — products (from 0807, 0709 93 900 0)	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Dacus ciliates</i>; 2. <i>Spodoptera littoralis</i>; 3. <i>Spodoptera frugiperda</i>; 4. <i>Zeugodacus cucurbitae</i>; 5. <i>Acidovorax citrulli</i>. 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Dacus ciliates</i>; 2. <i>Zeugodacus cucurbitae</i>; 3. <i>Acidovorax citrulli</i>;
12.	Cabbage, broccoli, iceberg lettuce, and cauliflower (<i>Brassica oleracea</i> L.), carrot (<i>Daucus carota</i>), cilantro (<i>Coriandrum sativum</i>), dill (<i>Anethum graveolens</i>), parsley (<i>Petroselinum crispum</i>), lettuce leaves (<i>Lactuca sativa</i> L.), and celery (<i>Apium graveolens</i>) — greens and products	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Frankliniella schultzei</i>; 2. <i>Liriomyza huidobrensis</i>; 3. <i>Liriomyza trifolii</i>; 4. <i>Spodoptera eridania</i>; 5. <i>Spodoptera exigua</i>; 6. <i>Spodoptera littoralis</i>; 7. <i>Spodoptera litura</i>; 8. <i>Meloidogyne chitwoodi</i>; 9. <i>Meloidogyne fallax</i>; 10. <i>Meloidogyne enterolobii</i>; 11. <i>Nacobbus aberrans</i>; 12. <i>Phymatotrichopsis omnivore</i>. 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Meloidogyne chitwoodi</i>; 2. <i>Meloidogyne fallax</i>; 3. <i>Meloidogyne enterolobii</i>; 4. <i>Nacobbus aberrans</i>; 5. <i>Phymatotrichopsis omnivore</i>.
13.	Ginger (<i>Zingiber officinale</i> Roscoe) — product (0714)	The products must be free from the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Nipaecoccus nipae</i>; 2. <i>Pinnaaspis strachani</i>; 3. <i>Spodoptera litura</i>; 4. <i>Scirtothrips dorsalis</i>; 5. <i>Spodoptera eridania</i>; 6. <i>Meloidogyne chitwoodi</i>; 7. <i>Meloidogyne fallax</i>; 8. <i>Meloidogyne enterolobii</i>; 9. <i>Nacobbus aberrans</i>; 	The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance: <ol style="list-style-type: none"> 1. <i>Meloidogyne chitwoodi</i>; 2. <i>Meloidogyne fallax</i>; 3. <i>Meloidogyne enterolobii</i>; 4. <i>Nacobbus aberrans</i>; 5. <i>Phymatotrichopsis omnivore</i>

		<p>10. <i>Phymatotrichopsis omnivora</i> 11. Tomato spotted wilt virus (TSWV); 12. Impatiens necrotic spot virus (INSV).</p>	
14.	<p>Potatoes (<i>Solanum tuberosum</i>) — table use (0701 90)</p>	<p>The products must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Epitrix tuberis</i>; 2. <i>Leptinotarsa decemlineata</i>; 3. <i>Naupactus leucoloma</i>; 4. <i>Naupactus xanthographus</i>; 5. <i>Phthorimaea operculella</i>. 	<p>The products must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Phymatotrichopsis omnivora</i>; 2. <i>Stagonosporopsis andigena</i>; 3. <i>Synchytrium endobioticum</i>; 4. <i>Thecaphora solani</i>; 5. <i>Candidatus Phytoplasma solani</i>; 6. <i>Ralstonia solanacearum</i>; 7. Andean potato latent virus (APLV); 8. Andean potato mottle virus (APMoV); 9. Pepino mosaic virus (PepMV); 10. Potato T tepovirus (PVT); 11. Potato yellow dwarf virus (PYDV); 12. Potato yellow vein virus (PYVV); 13. <i>Globodera pallida</i>; 14. <i>Globodera rostochiensis</i>; 15. <i>Heterodera oryzae</i>; 16. <i>Meloidogyne chitwoodi</i>; 17. <i>Meloidogyne fallax</i>; 18. <i>Meloidogyne enterolobii</i>; 19. <i>Nacobbus aberrans</i>; 20. <i>Radopholus similis</i>.

Phytosanitary requirements for the import of planting material from the Islamic Republic of Iran into the Republic of Uzbekistan

Regulated products imported into the territory of the Republic of Uzbekistan must be free from pests, plant diseases, and weeds of quarantine significance for the Republic of Uzbekistan.

1. **Planting material permitted for import from the Islamic Republic of Iran into the Republic of Uzbekistan (listed below) shall be exported only from companies that have been inspected by the NPPO of Iran and whose compliance with the phytosanitary requirements of the Republic of Uzbekistan has been guaranteed.**
2. Imported plants must be cleaned of soil and other contaminants.
3. Each package of regulated products must bear labeling containing information on the product name and its country of origin (exporting country).
4. Imported plants must be free from the following:

1.	Ornamental tree seedlings	<p>The planting material must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Agrilus mali</i>; 2. <i>Aleurocanthus spiniferus</i>; 3. <i>Anoplophora chinensis</i>; 4. <i>Anthonomus signatus</i> 5. <i>Aonidiella aurantii</i>; 6. <i>Aonidiella citrina</i>; 7. <i>Ceroplastes japonicus</i>; 8. <i>Ceroplastes rusci</i>; 9. <i>Helicoverpa zea</i>; 10. <i>Hyphantria cunea</i> 11. <i>Liriomyza huidobrensis</i>; 12. <i>Liriomyza trifolii</i>; 13. <i>Lopholeucaspis japonica</i>; 14. <i>Popillia japonica</i>; 15. <i>Pseudaulacaspis pentagona</i>; 16. <i>Pseudococcus cryptus</i>; 17. <i>Quadraspidiotus perniciosus</i>; 18. <i>Rhagoletis cingulata</i>; 19. <i>Spodoptera eridania</i>; 20. <i>Spodoptera frugiperda</i>; 21. <i>Spodoptera littoralis</i>; 22. <i>Spodoptera litura</i>; 23. <i>Phymatotrichopsis omnivora</i>; 24. <i>Erwinia amylovora</i>; 25. <i>Xylella fastidiosa</i>; 26. <i>Xanthomonas campestris</i> pv. <i>hyacinthi</i>; 27. <i>Candidatus Phytoplasma solani</i>; 28. <i>Candidatus Phytoplasma pyri</i>; 	<p>The planting material must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Anoplophora chinensis</i>; 2. <i>Phymatotrichopsis omnivora</i>; 3. <i>Erwinia amylovora</i>; 4. <i>Xylella fastidiosa</i>; 5. <i>Xanthomonas campestris</i> pv. <i>hyacinthi</i>; 6. <i>Candidatus Phytoplasma solani</i>; 7. <i>Candidatus Phytoplasma pyri</i>; 8. <i>Chrysanthemum stunt viroid</i> (CSVd); 9. <i>Impatiens necrotic spot virus</i> (INSV); 10. <i>Plum pox virus</i> (PPV); 11. <i>Tomato spotted wilt virus</i> (TSWV); 12. <i>Meloidogyne chitwoodi</i>; 13. <i>Meloidogyne enterolobii</i>; 14. <i>Meloidogyne luci</i>; 15. <i>Meloidogyne graminicola</i>; 16. <i>Meloidogyne mali</i>. 	<p>The planting material must be free from the following regulated non-quarantine pests:</p> <ol style="list-style-type: none"> 1. <i>Aeolestes sarta</i>; 2. <i>Amphitetranychus viennensis</i> 3. <i>Anthaxia conradtii</i>; 4. <i>Aphelenchoides besseyi</i>; 5. <i>Aphelenchoides fragariae</i>; 6. <i>Arboridia kokogowana</i> 7. <i>Aphis loti</i>; 8. <i>Bryobia redikarzevi</i>; 9. <i>Cossus cossus</i>; 10. <i>Eotetranychus pruni</i> 11. <i>Eriosoma ulmi</i>; 12. <i>Lepidosaphes ulmi</i> 13. <i>Panonychus ulmi</i>; 14. <i>Parlatoria oleae</i>; 15. <i>Parthenolecanium corni</i>; 16. <i>Planococcus vovae</i>. 17. <i>Rhizoglyphus echinopus</i> 18. <i>Sphaerolecanium prunastri</i> 19. <i>Tetranychus urticae</i>; 20. <i>Ditylenchus destructor</i>; 21. <i>Ditylenchus dipsaci</i>; 22. <i>Meloidogyne incognita</i>; 23. <i>Meloidogyne arenaria</i>; 24. <i>Meloidogyne javanica</i>.
----	----------------------------------	---	---	--

		<p>29. Chrysanthemum stunt viroid (CSVd);</p> <p>30. Impatiens necrotic spot virus (INSV);</p> <p>31. Plum pox virus (PPV);</p> <p>32. Tomato spotted wilt virus (TSWV);</p> <p>33. <i>Meloidogyne chitwoodi</i>;</p> <p>34. <i>Meloidogyne enterolobii</i>;</p> <p>35. <i>Meloidogyne luci</i>;</p> <p>36. <i>Meloidogyne graminicola</i>;</p> <p>37. <i>Meloidogyne mali</i>.</p>		
2.	<p>Apple seedlings (<i>Malus</i> spp.)</p>	<p>The planting material must be free from the following pests of quarantine significance:</p> <p>1. <i>Agrilus mali</i>;</p> <p>2. <i>Anoplophora chinensis</i>;</p> <p>3. <i>Anoplophora glabripennis</i>;</p> <p>4. <i>Carposina sasakii</i>;</p> <p>5. <i>Ceratitis rosa</i>;</p> <p>6. <i>Grapholita molesta</i>;</p> <p>7. <i>Hyphantria cunea</i>;</p> <p>8. <i>Margarodes vitis</i>;</p> <p>9. <i>Pseudococcus comstocki</i>;</p> <p>10. <i>Rhagoletis pomonella</i>;</p> <p>11. <i>Quadraspidiotus perniciosus</i>;</p> <p>12. <i>Phymatotrichopsis omnivora</i>;</p> <p>13. <i>Candidatus Phytoplasma mali</i>;</p> <p>14. <i>Candidatus Phytoplasma solani</i>;</p> <p>15. <i>Erwinia amylovora</i>;</p> <p>16. Peach latent mosaic viroid (PLMVd);</p> <p>17. Prunus necrotic ringspot virus (PNRSV);</p> <p>18. <i>Meloidogyne chitwoodi</i>;</p> <p>19. <i>Meloidogyne enterolobii</i>;</p> <p>20. <i>Meloidogyne mali</i>.</p>	<p>The planting material must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <p>1. <i>Anoplophora chinensis</i>;</p> <p>2. <i>Anoplophora glabripennis</i>;</p> <p>3. <i>Phymatotrichopsis omnivora</i>;</p> <p>4. <i>Candidatus Phytoplasma mali</i>;</p> <p>5. <i>Candidatus Phytoplasma solani</i>;</p> <p>6. <i>Erwinia amylovora</i>;</p> <p>7. Peach latent mosaic viroid (PLMVd);</p> <p>8. Prunus necrotic ringspot virus (PNRSV);</p> <p>9. <i>Meloidogyne chitwoodi</i>;</p> <p>10. <i>Meloidogyne enterolobii</i>;</p> <p>11. <i>Meloidogyne mali</i>.</p>	<p>The planting material must be free from the following regulated non-quarantine pests:</p> <p>1. <i>Aeolestes sarta</i>;</p> <p>2. <i>Amphitetranychus viennensis</i>;</p> <p>3. <i>Anthaxia conradtii</i>;</p> <p>4. <i>Arboridia kokogowana</i>;</p> <p>5. <i>Aphis loti</i>;</p> <p>6. <i>Bryobia redikarzevi</i>;</p> <p>7. <i>Cossus cossus</i>;</p> <p>8. <i>Eotetranychus pruni</i>;</p> <p>9. <i>Eriosoma ulmi</i>;</p> <p>10. <i>Lepidosaphes ulmi</i>;</p> <p>11. <i>Panonychus ulmi</i>;</p> <p>12. <i>Parlatoria oleae</i>;</p> <p>13. <i>Parthenolecanium corni</i>;</p> <p>14. <i>Planococcus vovae</i>;</p> <p>15. <i>Rhizoglyphus echinopus</i>;</p> <p>16. <i>Sphaerolecanium prunastri</i>;</p> <p>17. <i>Tetranychus urticae</i>;</p> <p>18. <i>Agrobacterium tumefaciens</i>;</p> <p>19. <i>Pseudomonas syringae</i> pv. <i>Syringae</i>;</p> <p>20. <i>Monilinia fructigena</i>;</p> <p>21. <i>Meloidogyne arenaria</i>;</p> <p>22. <i>Meloidogyne incognita</i>;</p> <p>23. <i>Meloidogyne javanica</i>.</p>
3.	<p>Plum, apricot, and wild cherry (<i>Prunus</i>)</p>	<p>The planting material must be free from the</p>	<p>The planting material must be grown in pest-free areas and/or pest-free places of production</p>	<p>The planting material must be free from the</p>

spp.) seedlings and rootstocks	following pests of quarantine significance:	with respect to the following pests of quarantine significance:	following regulated non-quarantine pests:
	<ol style="list-style-type: none"> 1. <i>Anoplophora chinensis</i>; 2. <i>Anoplophora glabripennis</i>; 3. <i>Bactrocera dorsalis</i>; 4. <i>Carposina sasakii</i>; 5. <i>Ceroplastes japonicus</i>; 6. <i>Ceratitis rosa</i>; 7. <i>Ceroplastes rusci</i>; 8. <i>Chionaspis furfura</i>; 9. <i>Coccus perlatus</i>; 10. <i>Conotrachelus nenuphar</i>; 11. <i>Diaphorina citri</i>; 12. <i>Dinoderus bifoveolatus</i>; 13. <i>Drosophila suzukii</i>; 14. <i>Dysmicoccus wistariae</i>; 15. <i>Grapholita molesta</i>; 16. <i>Hyphantria cunea</i>; 17. <i>Halyomorpha halys</i>; 18. <i>Icerya purchasi</i>; 19. <i>Ips plastographus</i>; 20. <i>Lindingaspis rossi</i>; 21. <i>Lopholeucaspis japonica</i>; 22. <i>Nipaecoccus nipae</i>; 23. <i>Pinnaaspis strachani</i>; 24. <i>Popillia japonica</i>; 25. <i>Pseudaulacaspis pentagona</i>; 26. <i>Pseudococcus cryptus</i>; 27. <i>Pseudococcus calceolariae</i>; 28. <i>Pseudoparlatoriae parlatorioides</i>; 29. <i>Pseudococcus comstocki</i>; 30. <i>Rhagoletis pomonella</i>; 31. <i>Rhagoletis cingulate</i>; 32. <i>Ripersiella kondonis</i>; 33. <i>Sinoxylon unidentatum</i>; 34. <i>Quadraspidiotus perniciosus</i>; 35. <i>Phymatotrichopsis omnivora</i>; 36. <i>Candidatus Phytoplasma phoenicium</i>; 37. <i>Candidatus Phytoplasma mali</i>; 38. <i>Candidatus Phytoplasma pyri</i>; 39. <i>Candidatus Phytoplasma solani</i>; 40. <i>Xylella fastidiosa</i>; 	<ol style="list-style-type: none"> 1. <i>Anoplophora chinensis</i>; 2. <i>Anoplophora glabripennis</i>; 3. <i>Phymatotrichopsis omnivora</i>; 4. <i>Candidatus Phytoplasma phoenicium</i>; 5. <i>Candidatus Phytoplasma mali</i>; 6. <i>Candidatus Phytoplasma pyri</i>; 7. <i>Candidatus Phytoplasma solani</i>; 8. <i>Xylella fastidiosa</i>; 9. American plum line pattern virus (APLPV); 10. Arabis mosaic virus (ArMV); 11. Peach latent mosaic viroid (PLMVd); 12. Peach rosette mosaic virus (PRMV); 13. Plum pox virus (PPV); 14. Prunus necrotic ringspot virus (PNRSV); 15. <i>Meloidogyne chitwoodii</i>; 16. <i>Meloidogyne enterolobii</i>; 17. <i>Meloidogyne mali</i>. 	<ol style="list-style-type: none"> 1. <i>Aeolestes sarta</i>; 2. <i>Amphitetranychus viennensis</i>; 3. <i>Anthaxia conradtii</i>; 4. <i>Arboridia kokogowana</i>; 5. <i>Aphis loti</i>; 6. <i>Bryobia redikarzevi</i>; 7. <i>Cossus cossus</i>; 8. <i>Eotetranychus pruni</i>; 9. <i>Eriosoma ulmi</i>; 10. <i>Lepidosaphes ulmi</i>; 11. <i>Panonychus ulmi</i>; 12. <i>Parlatoria oleae</i>; 13. <i>Parthenolecanium corni</i>; 14. <i>Planococcus vovae</i>; 15. <i>Rhizoglyphus echinopus</i>; 16. <i>Sphaerolecanium prunastri</i>; 17. <i>Tetranychus urticae</i>; 18. <i>Agrobacterium tumefaciens</i>; 19. <i>Xanthomonas arboricola</i>; 20. <i>Ditylenchus dipsaci</i>; 21. <i>Meloidogyne arenaria</i>; 22. <i>Meloidogyne incognita</i>; 23. <i>Meloidogyne javanica</i>.

		<p>41. American plum line pattern virus (APLPV); 42. Arabis mosaic virus (ArMV); 43. Peach latent mosaic viroid (PLMVd); 44. Peach rosette mosaic virus (PRMV); 45. Plum pox virus (PPV); 46. Prunus necrotic ringspot virus (PNRSV); 47. <i>Meloidogyne chitwoodi</i>; 48. <i>Meloidogyne enterolobii</i>; 49. <i>Meloidogyne mali</i>.</p>		
4.	<p>Maize seed (<i>Zea mays</i>) — for planting</p>	<p>The planting material must be free from the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Blissus leucopterus</i>; 2. <i>Callosobruchus</i> spp.; 3. <i>Caryedon serratus</i>; 4. <i>Caulophilus latinasus</i>; 5. <i>Diabrotica virgifera</i>; 6. <i>Dinoderus bifoveolatus</i>; 7. <i>Frankliniella williamsi</i>; 8. <i>Helicoverpa zea</i>; 9. <i>Spodoptera eridania</i>; 10. <i>Spodoptera frugiperda</i>. 11. <i>Trogoderma</i> spp. 12. <i>Zabrotes subfasciatus</i>; 13. <i>Zygogramma exclamationis</i> 14. <i>Bipolaris maydis</i>; 15. <i>Stenocarpella macrospora</i>; 16. <i>Pantoea stewartii</i> subsp. <i>stewartii</i>; 17. Barley stripe mosaic virus. 	<p>The planting material must be grown in pest-free areas and/or pest-free places of production with respect to the following pests of quarantine significance:</p> <ol style="list-style-type: none"> 1. <i>Bipolaris maydis</i>; 2. <i>Stenocarpella macrospora</i>; 3. <i>Pantoea stewartii</i> subsp. <i>stewartii</i>; 4. Barley stripe mosaic virus. 	<p>The planting material must be free from the following regulated non-quarantine pests:</p> <ol style="list-style-type: none"> 1. <i>Acarus siro</i>; 2. <i>Haplothrips tritici</i>; 3. <i>Rhyzopertha dominica</i>; 4. <i>Sitophilus granaries</i>; 5. <i>Sitophilus oryzae</i>; 6. <i>Sitotroga cerealella</i>; 7. <i>Tribolium castaneum</i>; 8. <i>Tribolium confusum</i>. 9. <i>Fusarium verticillioides</i>.

Note: The list of Iranian companies authorized to export plant planting material permitted for import from the Islamic Republic of Iran in accordance with the phytosanitary requirements of the Republic of Uzbekistan is published on the website www.karantin.uz.
<https://karantin.uz/uploads/docs/eb6a0b7c0cc4550af5865dcd413d1497.pdf>